

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687752711743

अनुबंध तिथि | Generated Date : 09-Jan-2025

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/5354528](#)

संगठन विवरण   Organisation Details	खरीदार विवरण   Buyer Details
प्रकार   Type : Central Government मंत्रालय   Ministry : Ministry of Chemicals and Fertilizers विभाग   Department : Department of Fertilizers संगठन का नाम   Organisation Name : Talcher Fertilizers Limited कार्यालय क्षेत्र   Office Zone : Noida	पद   Designation : Manager C and P संपर्क नंबर   Contact No. : - ईमेल आईडी   Email ID : buyer25.jvcnifh.jh@gembuyer.in जीएसटीआईएन   GSTIN : 21AAFCT8667A1ZH पता   Address : Talcher Fertilizers Limited, FCI Administrative Building, Talcher, Post: Vikrampur, Dist. Angul, Odisha-759106, Angul, ODISHA-759106, India

वित्तीय स्वीकृति विवरण   Financial Approval Detail	भुगतान प्राधिकरण विवरण   Paying Authority Details
आईएफडी सहमति   IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval : Director Operation वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval : HOD FINANCE	Role: PAO भुगतान का तरीका   Payment Mode: Offline पद   Designation : AM Finance ईमेल आईडी   Email ID : pao12.tfl.or@gembuyer.in जीएसटीआईएन   GSTIN : 21AAFCT8667A1ZH पता   Address : Talcher Fertilizers Limited, FCI Administrative Building, Talcher, Post: Vikrampur, Dist. Angul, Odisha-759106, Angul, ODISHA-759106, India

विक्रेता विवरण   Seller Details
जेम विक्रेता आईडी   GeM Seller ID : D8B218000096593 कंपनी का नाम   Company Name : NEWBHARAT FIRE PROTECTION SYSTEM PRIVATE LIMITED संपर्क नंबर   Contact No. : 09820657746 ईमेल आईडी   Email ID : ho@newbharatfire.com पता   Address : C-210,BHAICHAND TEXTILE MILL,LBS Marg,BHANDUP WEST, MUMBAI, MAHARASHTRA-400078, - एमएसएमई पंजीकरण संख्या   MSME Registration number : UDYAM-MH-18-0048357 जीएसटीआईएन   GSTIN : 27AACCN0776F1ZI (B) , (R) , (M)

खरीदार द्वारा मूल्यांकित एमआईआई स्थिति   MII Status as evaluated by buyer : Verified
खरीदार द्वारा सत्यापित एमएसएमई स्थिति   MSME Status as verified by buyer : Verified
एमएसएमई सामाजिक श्रेणी   MSE Social Category : General
एमएसएमई लिंग श्रेणी   MSE Gender : OTHERS

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण   Product Details						
#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : NBF SAFETY FIRST Portable Fire Extinguishers as per IS 15683 (2018) Low Pressure Extinguisher (Service Pressure ≤19 bar) Powder Based (as per IS 4308) Class -C ब्रांड   Brand : NBF SAFETY FIRST ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Portable Fire Extinguishers (V2) as per IS 15683:2018 (Q2) मॉडल   Model : SFD6KG एचएसएन कोड   HSN Code : 84241000	67	pieces	2,200	NA	147,400
कुल ऑर्डर मूल्य   Total Order Value (in INR)						147,400

परोक्ष विवरण   Consignee Detail						
			लॉट नंबर		दिनांक के बाद डिलीवरी शुरू	वितरण पूरा कब तक करना है   Delivery To

क्र.सं.   S.No	परोक्षता   Consignee	वस्तु   Item	Lot No.	मात्रा   Quantity	करना है   Delivery Start After	Be Completed By
1	पद   Designation :- ईमेल आईडी   Email ID : buycon17.tfl.or@gembuyer.in संपर्क   Contact : 62655-71271- जीएसटीआईएन   GSTIN : 21AACT8667A1ZH पता   Address : Talcher Fertilizers Limited, FCI Administrative Building, Talcher, Post: Vikrampur, Dist. Angul, Odisha-759106, Angul, ODISHA-759106, India	NBF SAFETY FIRST Portable Fire Extinguishers as per IS 15683 (2018) Low Pressure Extinguisher (Service Pressure ≤19 bar) Powder Based (as per IS 4308 ) Class -C	-	67	09-Jan-2025	08-Feb-2025

**Product Specification for NBF SAFETY FIRST Portable Fire Extinguishers as per IS 15683 (2018) Low Pressure Extinguisher (Service Pressure ≤19 bar) Powder Based (as per IS 4308 ) Class -C**

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
Generic	Conformity to Standard	IS: 15683: 2018 (Latest amendments)
	Type	Stored Pressure
	Extinguishing Media	Powder Based (as per IS 4308 )
	Expellant Medium	N2 Based (Stored Pressure)
Constructional Material	Type of Extinguisher	Low Pressure Extinguisher (Service Pressure ≤19 bar)
	Material Specification for the body of High Pressure Extinguisher	Steel body (as per latest IS 7285)
	Material Specification for the body of Low Pressure Extinguisher	Welded low carbon steel cylinders (as per Clause 9.2.5 of IS 15683)
Construction	Foam Based Extinguishing Media	NA
	Powder Based Extinguishing Media	ABC
	Type of Clean Agent for Clean Agent Based Fire Extinguisher (as per CL 5-1-3)	NA
	Name of Clean Agent as per (CL 5-1-3)	NA
	Foam Based Fire Extinguisher Capacity in Liters	NA
	Powder Based Fire Extinguisher Capacity in Kg	6
	Carbon Dioxide Based Fire Extinguisher Capacity in Kg	NA
	Water Based Fire Extinguisher Capacity in Liters	NA
	Clean Agents Fire Extinguisher Capacity in Kg	NA
	Water Mist Fire Extinguisher Capacity in Liters	NA
	Weight of Filled Portable Fire Extinguisher	9 kilogram
	Features of Fire Extinguisher	Carrying Handle (Mandatory If Extinguisher having mass ≥1.5Kg or Cylinder diameter,Safety Devices (Mandatory for High Pressure Extinguisher),Rechargeable,Hose Assemblies (Mandatory If mass or volume of Extinguishing medium > 3 Kg or Litres),NA
	Marking	As per clause 10.2 of IS 15683 (latest)
	Colour Coding Band (As per CL 10-1)	Blue (Powder)
	Pressure Gauge Range for Low-Pressure Extinguishers	19 bar
Class of fire for which Fire Extinguisher is suitable	Class -C	
Performance	Operating Temperature (°C)	-10°C to +60°C
	Test Pressure for all Fire extinguisher except CO2	35 bar
	Burst Pressure for all Fire extinguisher except CO2	55 bar
	Minimum Effective discharge time for Fire Extinguisher	18 second
	Fire Rating of different class of fires	3A
	Discharge Range of Class-A and Class-B Fire Extinguisher (As per table 1 of CL 7-2-2) (Hint : ≥ 2 in case applicable on Class-A or Class A & B both / ≥1 in case applicable on Class-B only)	2 meter
	BIS Marking	Yes
	CM/L No With Validity Period	7498397,30JUNE2026
	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Availability of Test Report from NABL accredited Laboratory
	Test Report No	1741

Certification	Test Report Date	15.06.2019
	Name of the lab	AFTRL
	Address of the lab	B3, MANGOLPURI ,DELHI-110034
	Agreed to furnish all the test reports and certificates to buyer on demand	Yes

उत्पाद का बीआईएस लाइसेंस | BIS license of the product: 7498397

**खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए | Buyer Defined Additional Specification for NBF SAFETY FIRST Portable Fire Extinguishers as per IS 15683 (2018) Low Pressure Extinguisher (Service Pressure  $\leq$ 19 bar) Powder Based (as per IS 4308 ) Class -C**

विनिर्देश   Specification	मूल्य   Value
1)Jet Range 2)Extinguishing Media 3)Types of Fire uses 4)Siphon tube material 5)Safety Pin 6)Pressure Gauge and EPDM Rubber Hose Pipe with both end aluminum crimped 7)Design	1)5 meter 2)MAP 90 $\pm$ 10 % (Confirm as per Indian Standard) and UL Listed 3)Class A, B, C and Electrical Fire 4)Stainless Steel 5)Stainless Steel 6)Yes 7)As per Indian Standard 15683(Latest) with CE marks
8)Squeeze Grip Material 9)Fire Extinguisher Manufacturing Date 10) Hydro-pressure tested at 35 bars 11)Test certificates to be provided by the Supplier at the time of supply of the product. 12)All Test report from NABL accredited laboratory required	8)SS 304 with safety release provision 9)Not more than Six month from date of purchase of product. 10)Yes 11)Five Years warranty test certificate, Powder Test certificates 12)Yes

### ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक   Advisory Bank :	NA
ईपीबीजी प्रतिशत (%)   ePBG Percentage(%):	NA

### नियम और शर्तें | Terms and Conditions

#### 1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 1.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

#### 2. Buyer Added Bid Specific Terms and Conditions-

##### 2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

##### 2.2 Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

Talcher Fertilizers Limited (TFL)  
Administrative Building  
PO- Vikrampur, Talcher  
Dist Angul, Odisha  
Pin - 759106  
.

##### 2.3 Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

##### 2.4 Generic

Manufacturer Authorization:Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

##### 2.5 Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

##### 2.6 Generic

The successful bidder has to supply all essential accessories required for the successful installation and commissioning of the goods supplied. Besides standard accessories as per normal industry practice, following accessories must be part of supply and cost should be included in bid price:

As per Technical Specifications of Tender Document  
.

##### 2.7 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Only supply of Goods

**2.8 Buyer Added Bid Specific ATC:**

Buyer uploaded ATC document [Click here to view the file.](#)

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.